Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources		(_ 0, _ 0 = 0, _	ora with regard to effer	B) 1440-1111 B 01 11B111							
Supplier's name or trade mark: V-TAC Supplier's address: V-TAC House, Kelpatrick Road, Slough, Berkshire, SL1 6BW, UK Model identifier: 10278											
							Type of light so	urce:			
							Lighting technology used:		LED	Non-directional or directional:	NDLS
Light source cap-type		Adaptor									
(or other electric interface)											
Mains or non-mains:		NMLS	Connected light source (CLS):	Yes							
Colour-tuneable light source:		Yes	Envelope:	-							
High luminance light source:		No									
Anti-glare shield:		No	Dimmable:	No							
Product parameters											
Parameter		Value	Parameter	Value							
		General product p	T	ı							
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		11	Energy efficiency class	E							
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		1 320 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 500							
On-mode power (P _{on}), ex- pressed in W		11,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00							
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80							
Outer dimen-	Height	26	Spectral power dis-	See image							
sions without separate con- trol gear, light- ing control	Width Depth	150 1 066	tribution in the range 250 nm to 800 nm, at full-load	in last page							

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,354			
		nates (x and y)	0,356			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	15	Survival factor	0,90			
the lumen maintenance factor	0,96					

(a)_{'-'}: not applicable; (b)_{'-'}: not applicable;



Model placed on the Union market from 06/09/2023



EPREL registration number: 1761977 https://eprel.ec.europa.eu/qr/17

61977

Supplier: V-TAC Europe Ltd (Importer) Website: www.v-tac.eu

Customer care service:

Name: V-TAC Europe Ltd. Website: www.v-tac.eu

Email: office@v-tac.eu Phone: +359290566

Address:

bul. Rozhen 41

Sofia Bulgaria