## **Product Information Sheet**

Depth

separate con-

trol gear, light-

ing

control

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources		, , ,		0, 0
Supplier's name	or trade mark:	V-TAC		
Supplier's addre	ess: V-TAC House	e, Kelpatrick Road, S	Slough, Berkshire, SL1 6E	BW, UK
Model identifie	r: 217092			
Type of light so	urce:			
Lighting technology used:		LED	Non-directional or directional:	NDLS
Light source cap-type		CONNECTOR		
(or other electric interface)				
Mains or non-mains:		NMLS	Connected light source (CLS):	No
Colour-tuneable	e light source:	No	Envelope:	-
High luminance	light source:	No		
Anti-glare shield	d:	No	Dimmable:	No
		Product para	meters	
Parameter		Value	Parameter	Value
		General product	parameters:	
- ·	nption in on- 00 h), rounded st integer	6	Energy efficiency class	E
dicating if it refe a sphere (360°)	s flux (φuse), in- ers to the flux in , in a wide cone errow cone (90º)	700 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000
On-mode power (P <sub>on</sub> ), ex- pressed in W		5,4	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer dimen-	Height	100	Spectral power dis-	See image
sions without	Width	140	tribution in the	in last page

115

range 250 nm to 800

nm, at full-load

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,380			
		nates (x and y)	0,380			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	7	Survival factor	0,90			
the lumen maintenance factor	0,96					

(a)<sub>'-</sub>' : not applicable;

(b)<sub>'-'</sub> : not applicable;



Model placed on the Union market from 28/03/2024.



**EPREL registration number:** 1982212 https://eprel.ec.europa.eu/qr/19

82212

Supplier: V-TAC Europe Ltd (Manufacturer) Website: www.v-tac.eu

**Customer care service:** 

Name: V-TAC Europe Ltd. Website: www.v-tac.eu

Email: office@v-tac.eu Phone: +359290566

Address:

bul. Rozhen 41

Sofia Bulgaria